Panasonic recommends Windows.

## **Panasonic**



### **TOUGHPAD FZ-G1**

- 4th Generation Intel® Core™ i5 vPro™ Processor
- Daylight-readable Display with Gloved Multi Touch + Digitizer
- Up to 20 Hours of Use with an Optional Long Life Battery¹
- USB 3.0 + HDMI Ports, Optional Dedicated GPS, Serial, Ethernet, MicroSD, 2nd USB Port, SmartCard or Barcode Reader
- Optional ANSI / Class I Div 2 units available (Certified for use in hazardous locations)<sup>12</sup>
- 3-year Warranty with Business Class Support







# ONE OF THE WORLD'S THINNEST AND LIGHTEST FULLY-RUGGED 10.1" WINDOWS® 8.1 PRO TABLET.

The Toughpad FZ-G1 Windows® 8 tablet offers a fluid user experience while providing crucial port connectivity and feature rich options in a compact size. Designed for highly mobile field workers, it's one of the thinnest and lightest fully-rugged 10.1" tablet running Windows® 8. Powered by an Intel® Core™ i5 vPro™ processor with a MIL-STD-810G and IP65 certified design, the Toughpad FZ-G1 Windows® 8 tablet leads the way in rugged mobile computing. Add to that an HD daylight-readable 10-point gloved multi touch + digitizer screen, and it becomes an essential tool for field workers.

#### Panasonic recommends Windows.

SOFTWARE	■ Windows® 8.1 Pro 64-bit (available Windows® 7 Professional downgrade option)
	Panasonic Utilities (including Dashboard), Recovery Partition
DURABILITY	MIL-STD-810G certified (4' drop, shock, vibration, rain, dust, sand, altitude, freeze/thaw, high/low temperature, temperature shock, humidity, explosive atmosphere) IP65 certified sealed all-weather design Optional class I division 2, groups ABCD certified model Solid state drive heater Magnesium alloy chassis encased with ABS and elastomer corner guards Optional rotating hand strap Port covers Raised bezel for LCD impact protection Pre-installed replaceable screen film for LCD protection
CPU	■ Intel® Core™ i5-4310U vPro™ Processor - 2.0GHz with Turbo Boost up to 3.0GHz - Intel Smart Cache 3MB
STORAGE & MEMORY	■ 8GB <sup>s,6</sup> ■ Optional 128GB and 25GGB solid state drives (SSD) with heaters <sup>s,6</sup>
DISPLAY	10.1" WUXGA 1920 x 1200 with LED backlighting 10-point capacitive multi touch + digitizer daylight-readable screen 2-800 nit - IPS display with direct bonding - Anti-reflective and anti-glare screen treatments - Ambient light sensor, digital compass, gyro and acceleration sensors - Automatic screen rotation - Intel® QM77 video controller, max. 1792MB shared VRAM with Win 8 64-bit <sup>7</sup> Concealed mode [configurable]
AUDIO	Integrated microphone     Realtek high-definition audio     Integrated speaker     On-screen and button volume and mute controls
KEYBOARD & INPUT	10-point multi touch + digitizer screen Supports bare hand touch and gestures and electronic stylus pen Supports glove mode and wet touch mode 7 tablet buttons [2 user-definable] Integrated stylus holder On-screen GWERTY keyboard
CAMERAS	<ul> <li>720p webcam with mic</li> <li>8MP rear camera with auto focus and LED light</li> </ul>
EXPANSION	■ Optional MicroSD <sup>5</sup>
INTERFACE	■ Docking connector 24-pin ■ HDMI Type A ■ Headphones/speaker Mini-jack stereo ■ Optional Serial Dongle³ D-sub 9-pin ■ USB 3.0 (x 11 <sup>23</sup> 4-pin ■ Optional 2nd USB 2.0³ 4-pin ■ Optional 10/100/1000 Ethernet³ RJ-45
WIRELESS	Optional integrated LTE mobile broadband Optional GPS (U-blox 8) <sup>3</sup> Intel <sup>®</sup> Dual Band Wireless AC7260 Wi-Fi 802.11a/b/g/n/ac Bluetooth® v4.0 (Class 1) + EDR Security - Authentication: LEAP, WPA, 802.1x, EAP-TLS, EAP-FAST, PEAP - Encryption: CKIP, TKIP, 128-bit and 64-bit WEP, Hardware AES Dual high-gain antenna pass-through
POWER SUPPLY	Li-lon battery pack: Standard battery: 10.8V, typical 4400mAh, minimum 4100mAh] Long life battery*: 10.8V, typical 9300mAh, minimum 8700mAh] Battery operation': Standard battery: 10 hours Optional long life battery*: 20 hours Battery charging time': Standard battery: 2.5 hours off, 3 hours on Optional long life battery': 3.5 hours off, 4 hours on Optional long life battery': 10 hours off, 4 hours on Optional 7.5Wh bridge battery (10 minute swap time)
POWER MANAGEMENT	Suspend/Resume Function, Hibernation, Standby
SECURITY FEATURES	Password Security: Supervisor, User, Hard Disk Lock  Kensington cable lock slot  Trusted platform module (TPM) security chip v.1.2  Computrace* theft protection agent in BIOS'  Intel* Anti-Theft Technology  Insertable SmartCard reader'.8  - ISO 15693 and 14443 A/B compliant
WARRANTY	■ 3-year limited warranty, parts and labor
DIMENSIONS & WEIGHT <sup>10</sup>	<ul> <li>10.6"[L] x 7.4"[W] x 0.8"[H]</li> <li>2.4 lbs. (standard battery)</li> <li>3.0 lbs. (optional long life battery)<sup>p</sup></li> </ul>

#### INTEGRATED OPTIONS

- | WIEDKAIED OF IUNS'|
  4 G LTE multi carrier mobile broadband with satellite GPS.

  Choice of 1D/2D barcode reader (EA11 or EA21), GPS (U-blox 8),
  Serial Dongle, Ethernet, MicroSD or 2nd USB 2.0 port<sup>2</sup>
  Choice of bridge battery, insertable SmartCard reader; contactless smart card reader or UHF 900 MHz RFID reader (EPC Gen 2)<sup>2</sup>

#### HAZARDOUS LOCATION CERTIFICATIONS<sup>12</sup>

Tether10.1" LCD Protective Film

ANSI / ISA 2.12.01-2013
 Optional Class I division 2, groups ABCD certified model

#### ACCESSORIES<sup>11</sup>

- ACCESSORIESI

  AC Adapter (3-prong)

  Standard Battery Pack\*
  Long Life Battery Pack\*
  Lind 3.-Bay Battery Charger
  ToughMate G1 Always-on Case (w/hand strap)
  ToughMate G1 Professional Portfolio
  ToughMate G1 "X" Hand Strap
  Desktop Cradle
  Replacement Digitizer Pen
  Tether CF-AA6413CM FZ-VZSU84U FZ-VZSU88U FZ-LND3BAYG1 TBCG1AONL-P TBCG1PFLIO-BLK-P TBCG1PFLIO-B TBCG1XSTP-P FZ-VEBG11U FZ-VNPG11U FZ-VNTG11U
- Please consult your reseller or Panasonic representative before purchasing.

- Caution: Do not expose bare skin to this product when handling this unit in extreme hot or cold environments

  <sup>1</sup> Approximate time. Battery operation and recharge times will vary based on many factors, including screen brightness, applications, features, power management, battery conditioning and other customer preferences.

  Battery testing results from MobileMark 2007.

  Bridge battery, insertable Smart Card reader, contactless Smart Card reader and UHF RF1D reader are mutually exclusive.

F7-VPFG11II

- <sup>3</sup> GPS, Serial Dongle, Ethernet, MicroSD, 2nd USB port are mutually exclusive options.
- 4 Please refer to cleaning and maintenance instructions in the user quide.
- <sup>5</sup> 1GB = 1,000,000,000 bytes.
- <sup>6</sup> Total usable memory will be less depending upon actual system configuration.
- <sup>7</sup> The size of the VRAM cannot be set by the user and varies by operating system as well as size of RAM. Windows 7 max. VRAM is 1555MB.
- <sup>8</sup> Includes tall corner guards and rotating hand strap.
- 9 Requires software and activation to enable theft protection
- 10 Length measurements do not include protrusions. Weight varies with options and digitizer pen.
- <sup>11</sup> Accessories and Integrated Options may vary depending on your configuration. Visit Panasonic website for more accessories and details.
- 12 Hazardous location certifications may not apply to all configurations. Consult your Panasonic representative for availability.







